

*ECOsysteM Spaceborne Thermal Radiometer
Experiment on Space Station*



Simon J. Hook and the HypsIRI and ECOSTRESS
Teams

Jet Propulsion Laboratory,
California Institute of Technology, Pasadena, CA

With support, encouragement and participation from many!


ECOsysteM Spaceborne Thermal Radiometer Experiment on Space Station

Dr. Simon J. Hook, JPL, Principal Investigator

Science Objectives


- Identify **critical thresholds of water use and water stress** in key climate-sensitive biomes
- Detect the timing, location, and predictive factors leading to plant **water uptake decline** and/or cessation over the **diurnal cycle**
- Measure **agricultural water consumptive use** over the contiguous United States (CONUS) at spatiotemporal scales applicable to improve drought estimation accuracy

Water Stress Drives Plant Behavior





When stomata close, CO₂ uptake and evapotranspiration are halted and plants risk starvation, overheating and death.

Water Stress Threatens Ecosystem Productivity




Water stress is quantified by the Evaporative Stress Index, which relies on evapotranspiration measurements.

ECOSTRESS will provide critical insight into **plant-water dynamics** and how **ecosystems change with climate** via **high spatiotemporal** resolution thermal infrared radiometer measurements of evapotranspiration from the International Space Station (ISS).



Mission

- Class D \$30M cost cap
- 31-months from project start to delivery
- JPL implementation and management
- 69-month project duration (Phase A-F)
- On ISS-JEMS Module
- 12-month Science Operations (Phase E)




Cal Year	2014	2015	2016	2017	2018	2019	
KDP		B	C Acc.	D	E	F	
Phase		A	B	C	D	E	F
Milestone	ATP Oct 1	SRR/MDR	PDR	CDR	TRR	CoFR	PL Ready
					GAP	ATLO	ORR
						Delivery	Launch


Instrument

- Leverages functionally-tested PHYTIR space-ready hardware developed under the NASA Instrument Incubator Program:
 - Spectral resolution: 5 bands in the thermal infrared window (8-12.5 μm) part of the electromagnetic spectrum
 - Noise equivalent delta temperature: ≤ 0.3 K
 - Spatial resolution: 38 m x 69 m
 - Swath width: 400 km @ 400 km altitude (51°)
- Well understood measurement and algorithms based on prior missions, such as ASTER, MODIS, and Landsat

The inclined, precessing ISS orbit enables ECOSTRESS to sample the diurnal cycle in critical regions across the globe at spatiotemporal scales missed by current instruments in Sun-synchronous polar and high-altitude geostationary orbits.



Push-whisk System



Science Data Products

L0	Raw data
L1	Radiometrically corrected Brightness Temperature
L2	Surface Temperature and Emissivity
L3	Evapotranspiration
L4	Water Use Efficiency, Evaporative Stress Index

Science Team

Principal Investigator

Simon Hook, JPL

Co-Investigators

Rick Allen, Univ. of Idaho

Martha Anderson, USDA

Joshua Fisher, JPL




Andrew French, USDA

Glynn Hulley, JPL

Eric Wood, Princeton Univ.

Collaborators


Christopher Hain, Univ. Maryland




Mission Concept




Radiometer Instrument




ECOSTRESS Payload




Dragon-Trunk Falcon-9 LV




Installation on JEM-EF




Science Data Processing and Archive



MOS and Ground and Space Network



Data Collection



EOL Payload disposal via Dragon Trunk re-entry





Current Events

- ~~12/06 – 12/07 Science Team Meeting #3~~
- ~~11/29 – 12/02 JAXA TIM at Caltech~~
- ~~11/03 Quarterly~~
- ~~10/04 Payload I&T Start~~
- ~~09/27 RT Validation test~~
- ~~09/07 Cauffman Hdw Tour~~
- ~~09/01 Freilich Hdw Tour~~
- ~~08/23 ESSPPO TEM & Hdw Tour~~
- ~~08/22 Janson Hdw Tour~~
- ~~07/26 28/16 POIWG~~
- ~~05/05/16 Quarterly~~
- ~~04/27/16 PPBE~~
- ~~04/26/16 Janson Visit~~
- ~~04/14/16 Post CDR Review to Freilich~~
- ~~03/30/16 CDR Pre-briefs to Stover/Janson~~
- ~~03/29/2016 DMC~~
- ~~03/21/16 Post CDR SnapShot to Robinson~~
- ~~03/08 09/16 Project CDR~~
- ~~03/01/16 Radiometer I&T~~
- ~~02/09/16 CDR Readiness Assessment~~
- ~~02/10/16 ISS Interface CDR~~
- ~~02/09/16 Phase II Safety Review~~
- ~~01/27/16 POIWG~~
- ~~01/26/16 Payload I&T and ATLO Peer Review~~
- ~~01/25/16 V&V Peer Review~~
- ~~01/20/16 Firmware Peer Review~~
- ~~01/12/16 Fracture Control Board Review 4~~
- ~~01/07/16 Radiometer Mechanical Peer Review~~
- ~~01/04/16 Phase II Safety Data Package due~~
- ~~View~~
- ~~12/17/15 Thermal Peer Review~~
- ~~12/16/15 Electronics Peer Review~~
- ~~12/15/15 Telecom Peer Review~~
- ~~12/14/15 Optics, Detector & Calibration Peer Review~~
- ~~12/10/15 Accommodation Confirmation Briefing to DPMC~~
- ~~12/07/15 Fracture Control Board Review 3~~
- ~~12/07/15 FSW Peer Review~~
- ~~12/04/15 MOS, GDS, and SDS Peer Review~~
- ~~12/02/15 Radiometer I&T Peer Review~~
- ~~12/02/15 Science Peer Review~~
- ~~11/18/15 Payload Enclosure Peer Review~~
- ~~11/16/15 Fracture Control Board review 2~~
- ~~11/11/15 November MMR~~
- ~~11/05/15 Science Team Meeting #2~~
- ~~10/29/15 Scan Mechanism Peer Review~~
- ~~10/23/15 KDP-C~~
- ~~10/20/15 Fracture Control Board review 1~~
- ~~10/14/15 October MMR~~
- ~~10/05/15 DMC~~
- ~~09/16/15 September MMR~~
- ~~08/12/15 August MMR~~
- ~~07/28/15 PDR~~
- ~~07/23/15 JAXA Face to Face meeting~~
- ~~07/14/15 Phase I Safety Review~~
- ~~07/01/15 Science Peer Review~~
- ~~06/30/15 Telecom SS Peer Review~~
- ~~06/24/15 JAXA Technical Exchange Meeting~~
- ~~06/23/15 ISS Interface PDR~~
- ~~06/19/15 Thermal Peer Review~~
- ~~06/18/15 Optics and Detector Peer Review~~
- ~~06/17/15 June MMR~~
- ~~06/16/15 Scan mechanism Peer Review~~
- ~~06/15/15 Radiometer structure Peer review~~
- ~~06/11/15 Enclosure tabletop review~~
- ~~06/10/15 Electronics Peer Review~~
- ~~06/10/15 MOS/GDS and SDS Peer Review~~
- ~~06/05/15 FSW Peer Review~~
- ~~05/27/15 II&T and ATLO Peer Review~~
- ~~05/26/15 Firmware Peer Review~~
- ~~05/21/15 Motor Control Peer Review~~
- ~~05/21/15 WAP Downselect~~
- ~~05/20/15 Wi-Fi Tabletop Review~~
- ~~05/13/15 May MMR~~
- ~~05/06/15 Heat Exchanger Design Review~~
- ~~04/30/15 Cold Panel Peer Review~~
- ~~04/16/15 Cryocooler thermal analysis Tabletop~~
- ~~04/16/15 Signal Chain/Flex Peer Review~~
- ~~04/15/15 KDP-B~~
- ~~04/08/15 April MMR~~
- ~~03/25/15 Wi-Fi WG at JSC~~
- ~~03/24/15 Safety TIM/phase 0 at JSC~~
- ~~03/17/15 JAXA Briefing~~
- ~~03/11/15 March MMR~~
- ~~03/05/15 Inheritance Review~~
- ~~02/10/15 SRR/IMDR~~
- ~~01/14/15 January MMR~~
- ~~01/12/15 Baseline Walkthrough~~
- ~~12/14/14 ECOSTRESS Science Team Meeting~~
- ~~12/10/14 December MMR~~
- ~~11/19/14 November MMR~~
- ~~11/06/14 ISS Kickoff Meeting~~
- ~~11/04/14 ESSP/SMD Meeting~~
- ~~10/01/14 Authority To Proceed (ATP)~~



Project Status Summary

<u>Technical</u>			<u>Schedule</u>			<u>Programmatic</u>			<u>Resources</u>		
JUL	AUG	SEP	JUL	AUG	SEP	JUL	AUG	SEP	JUN	JUL	AUG
Y	Y	Y	G	Y	G	G	G	G	G	G	G

Detailed Description: (for items identified as yellow or red)


Technical: Cryocooler random vibration flight acceptance test failure at vendor in one of three units. Path forward to include damper to limit responses at resonance frequency.

G No Current Problem
All commitments can be met

Y Significant problem
Identified solution
Commitment is in jeopardy



R Major Problem
No identified solution
Commitments cannot be met

Resource Tracking: Mass



- Updated as-build mass of Blackbody structures, Accumulator assembly, Cold panel tubing and nadir baffle.

EM Cryocooler Installation





SAF High-Bay 2 Cleanroom, 6/1/2016





ECOSTRESS



- Some facts and figures
 - Focused on water use and availability
 - Selected in EVI-2
 - Class D mission on ISS
 - Uses PHyTIR developed under ESTO IIP
 - Deliver in early 2017
 - Launch in mid 2018
 - Nominal mission lifetime 1 year



L1 Science Requirements and Margins

Parameter	Science Requirement (from PLRA)	Current Best Estimate @ 400 km
Ground Sample Distance (m) Crosstrack x Downtrack at nadir	$\leq 100 \times \leq 100$	68.5 x 38.5
Swath width (ISS nominal altitude range is 385 to 415 km)	≥ 360	402
Wavelength range (μm)	8-12.5	8-12.5
Number of bands	≥ 3	5 TIR + 1 SWIR
Radiometric accuracy (K @300K)	≤ 1	0.5
Radiometric precision (K @300K)	≤ 0.3	0.15
Dynamic Range (K)	270-335	200-500
Data collection	CONUS, twelve 1,000 x1,000km key climate biomes and twenty-five FLUXNET sites. On average 1 hour of science data per day.	1.5 hours per day of science data



ECOSTRESS Science Data Products

Data Product	Description	Initial Availability to NASA DAAC	Median Latency in Product Availability to NASA DAAC after Initial Delivery	NASA DAAC Location
Level 0	Raw collected telemetry	6 months after IOC	12 weeks	To be assigned by NASA SMD/ESD
Level 1	Calibrated Geolocated Radiances	6 months after IOC	12 weeks	To be assigned by NASA SMD/ESD
Level 2	Surface temperature and emissivity	6 months after Level 1 data products are available	12 weeks	To be assigned by NASA SMD/ESD
Level 3	Evapotranspiration	2 months after Level 2 data products are available	12 weeks	To be assigned by NASA SMD/ESD
Level 4	Water use efficiency and evaporative stress index	2 months after Level 3 data products are available	12 weeks	To be assigned by NASA SMD/ESD

Calibration and Validation

- On-board blackbodies
- Vicarious calibration sites
- Validation sites (FLUXNET)

Lake Tahoe




Russell Ranch



Tonzi Ranch
(23 m tower)

Using JPL Airborne Instruments for Precursor Studies:



HyTES Acquisition: July 9, 2014



Summary





- ECOSTRESS is possible because of the development of the PHyTIR instrument for HypsIRI-TIR supported by ESTO
- ECOSTRESS will address a subset of the science associated with HypsIRI
- The ECOSTRESS mission will help answer three key science questions:
 - How is the terrestrial biosphere responding to changes in water availability?
 - How do changes in diurnal vegetation water stress impact the global carbon cycle?
 - Can agricultural vulnerability be reduced through advanced monitoring of agricultural water consumptive use and improved drought estimation?
- ECOSTRESS has a clearly defined set of data products and mature algorithms
- Opportunity for combined HypsIRI-like datasets using the European EnMAP and ECOSTRESS with GEDI for structure

ECOSTRESS will launch in 2018 and provide highest spatial resolution thermal infrared data ever from the International Space Station. HypsIRI is planned for the 2023+ timeframe unless the Decadal Survey increases the priority !!



BACKUP


Q1. How is the terrestrial biosphere responding to changes in water availability?




Uncertainty in our knowledge of carbon response is directly dependent on water response uncertainty and how plants use water under drying conditions.

Red areas (“hotspots”) are where global models disagree on water use efficiency (WUE) based biome changes with climate change. ECOSTRESS will reduce this uncertainty with measurements for WUE (GPP/ET).

Q2. How do changes in diurnal vegetation water stress impact the global carbon cycle?




ECOSTRESS acquires numerous samples throughout the day over 1 year (at 50° latitude shown, for example).



ECOSTRESS's diurnal sampling measures the shape of the daily ET cycle. The afternoon decline in ET is related to water stress (clear day).



- I: Xylem refilling after initial water release.
- II: ET at maximum/potential rate in the morning.
- III: Stomata shut down water flux in the afternoon.
- IV: ET resumes at maximum/potential in early evening when demand is reduced

Q3. Can agricultural vulnerability be reduced through advanced monitoring of agricultural water consumptive use and improved drought estimation?



ECOSTRESS's spatial resolution will distinguish fine-scale landscape heterogeneity such as agricultural systems (top) and riparian corridors (bottom) similar to Landsat (left), whereas MODIS (right) does not.

Probability of producing valid ET estimates when satellite revisit time is 16 days (lower-right inset) vs. 4 days




ECOSTRESS's temporal resolution provides a *9-fold* decrease in ET error relative to Landsat.

HyTES: Hyperspectral Thermal Emission Spectrometer




JPL Airborne Capability

Image Acquisition: 9 JUL 2014



HyTES Acquisition: July 9, 2014



Irrigated July 7-8:

 Organic Tomato

→ Mean LST = 309 K

 Conventional Tomato

→ Mean LST = 306 K

Irrigated July 2-3:

 Organic Corn

→ Mean LST = 304 K

 Conventional Corn

→ Mean LST = 303 K

 Alfalfa

→ Mean LST = 301.5 K